



43


PATENT
ATTORNEY'S DOCKET NO.: D0188/7095D1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: Robert W. Jackson et al.
SERIAL NO.: 10/035,504
FILED: November 1, 2001
FOR: IRRIGATION SYSTEM AND TIP WITH DEBRIDER
EXAMINER: Not Yet Assigned
ART UNIT: 1614

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, Office of Initial Patent Examination, Washington, DC 20231 on February 22, 2002.


Debra M. Doherty

COMMISSIONER FOR PATENTS
OFFICE OF INITIAL PATENT EXAMINATION
WASHINGTON, DC 20231

RESPONSE TO NOTICE TO
FILE CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application Papers -- Filing Date
Granted dated February 6, 2002, enclosed are seven (7) sheets (FIGS. 1-11) of
substitute drawings as well as a copy of the notice.

Respectfully submitted,



Arthur Z. Bookstein
Registration No. 22,958
KIRKPATRICK & LOCKHART, LLP
75 State Street
Boston, Massachusetts 02109-1808
Tel: 617-261-3100
Customer No.: 022832
Attorneys for Applicants

Docket No.: D0188/7095D1
Date: February 22, 2002



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/035,504 | 11/01/2001 | Robert W. Jackson | D0188/7095D1 |

CONFIRMATION NO. 3094

FORMALITIES LETTER



OC000000007427332

Arthur Z. Bookstein
Kirkpatrick & Lockhart LLP
75 State Street
Boston, MA 02109-1808

Date Mailed: 02/06/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

S. GORMAN

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE